

WD & SJ Whittle
"Ranchall"
BUNGUNYA QLD 4494

Questionnaire for Ratepayers
to accompany Circular No. 3

- | | Yes | No |
|--|--------------------------|--------------------------|
| 1. The Scheme should not be altered in any way, and that Ratepayers should make changes after existing approved take off points, with their own pressure source if necessary to meet their changed requirements. | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. The Board is encouraged to approve requests for alterations to the Scheme:
a. that does not impact on the integrity of the Scheme as a whole;
b. does not disadvantage any other water user;
c. all consulting and consulting costs to be borne by the applicant and not the Board; and
d. all requests for alterations to be checked by an appropriate expert in the area of water design. | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. The alternatives set out do not fully reflect our wishes and concerns in this matter, and a meeting of Ratepayers is preferred to discuss these issues more fully. | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Have any alterations to the Board works been undertaken on your property without written authorisation. If yes, please supply full details. | <input type="checkbox"/> | <input type="checkbox"/> |

Thank you for your assistance in this matter and a return by 17 December 2007 would be greatly appreciated.

Ratepayers Signature

Please return to:
The Secretary
Kaywanna Bore Water Board
40 Marshall St
GOONDIWINDI QLD 4390